ELSEVIER

Theriogenology 58 (2002) 1745–1763

Theriogenology

Contents of Theriogenology Volume 58

VOLUME 58 ISSUE 1 **1 JULY 2002**

Fertilization efficiency of in vitro matured oocytes transferred to oviducts of inseminated goats: a model to assess in vivo fertilization performance of goat spermatozoa
J.F. Cox, A. Zavala, F. Saravia, C. Rivas and V. Alfaro (Chillán, Chile) 1

Differences in sperm migration through cervical mucus in vitro relates to sperm colonization of the oviduct and fertilizing ability in goats
J.F. Cox, A. Zavala, F. Saravia, C. Rivas, P. Gallardo and V. Alfaro (Chillán, Chile) ... 9

An effective method for freezing White Italian gander semen
E. Lukaszewicz (Wrocław, Poland) 19

Effects of hemicastration and castration on foam production and its relationship with fertility in male Japanese quail
J. Mohan, R.P. Moudgal, K.V.H. Sastry, J. Tyagi and R. Singh (Izatnagar, India) 29

Seasonal variations in testicular consistency, scrotal circumference and spermiogramme parameters of extensively reared Brahman (*Bos indicus*) bulls in the tropics
J. Chacón (Heredia, Costa Rica), E. Pérez (Costa Rica) and
H. Rodríguez-Martínez (Uppsala, Sweden) 41

Plasma progesterone profiles and factors affecting embryo-fetal mortality following embryo transfer in dairy cattle
J. Chagas e Silva (Amadora, Portugal), L. Lopes da Costa and J. Robalo Silva (Lisboa, Portugal) 51

Ultrasonographic appearance of tissue is a better indicator of CL function than CL diameter measurement in dairy cows
M.C. Veronesi (Milano, Italy), G. Gabai (Padova, Italy), M. Battocchio, A. Mollo (Milano, Italy), F. Soldano (Udine, Italy), G. Bono (Padova, Italy) and F. Cairoli (Milano, Italy) 61

Vitrification and rapid freezing of rabbit fetal tissues and skin samples from rabbits and pigs
M.A. Silvestre, A.M. Saeed, M.J. Escribá and F. García-Ximénez (Valencia, Spain) ... 69

Comparison of the effects of using standard and simple portable CO_2 incubators on the in vitro developmental competence of bovine embryos reconstituted by somatic cell nuclear transfer
M.D. Varisanga (Dar es Salaam, Tanzania), Y.J. Dong, N.R. Mtango and T. Suzuki (Yamaguchi, Japan) 77

Plasma membrane and acrosomal integrity in bovine spermatozoa with the knobbed acrosome defect
J. Thundathil, A.T. Palasz, A.D. Barth and R.J. Mapletoft (Saskatoon, Canada) 87

PII: S0093-691X(02)01212-8

Reproductive performance of early-weaned female swine according to their estrus profile and frequency of artificial insemination
M.N. Corrêa, T. Lucia Jr., J.A.B. Afonso and J.C. Deschamps (Pelotas-RS, Brazil) 103
Evidence for sulfatase and 17β-hydroxysteroid dehydrogenase type 1 activities in equine epididymis and uterus
E. Lemazurier and G.-E. Séralini (Caen cedex, France) 113
Use of naloxone challenge to predict sexual performance of rams before the fall breeding season
J.N. Stellflug (Dubois, ID, USA) 123
Evaluation of a porcine zona pellucida vaccine for the immunocontraception of domestic kittens (*Felis catus*)
S.P. Gorman, J.K. Levy, A.L. Hampton, W.R. Collante, A.L. Harris (Gainesville, FL, USA) and R.G. Brown (Halifax, Canada) 135
Strategies to improve the ovarian response to equine pituitary extract in cyclic mares
C.F. Scoggin (Fort Collins, CO, USA), C. Meira (Botucatu, Brazil), P.M. McCue, E.M. Carnevale, T.M. Nett and E.L. Squires (Fort Collins, CO, USA) 151
Effects of deslorelin or hCG administration on reproductive performance in first postpartum estrus mares
T.L. Blanchard, S.P. Brinsko (College Station, TX, USA) and S.L. Rigby (Merriam, KS, USA) 165
Pregnancy rates following timed embryo transfer with fresh or vitrified in vitro produced embryos in lactating dairy cows under heat stress conditions
Y.M. Al-Katanani, M. Drost (Gainesville, FL, USA), R.L. Monson, J.J. Rutledge (Madison, WI, USA), C.E. Krininger III, J. Block, W.W. Thatcher and P.J. Hansen (Gainesville, FL, USA) 171

VOLUME 58 ISSUES 2–4 **AUGUST 2002**

Foreword 191
Preface 193
Symposia Committee 195
Obituary—Hans Merkt 197
Obituary—Francesca Stewart 199
Obituary—Dr. Marcel Vandeplassche 201
Personal Report—Emeritus Professor Clifford H.G. Irvine 203
Program 207

The Stallion

Relationship of seminal plasma level and extender type to sperm motility and DNA integrity
C.C. Love, J.A. Thompson, S.P. Brinsko, S.L. Rigby, T.L. Blanchard and D.D. Varner (College Station, TX, USA) 221
Stallion epididymal spermatozoa: pre-freeze and post-thaw motility and viability after three treatments
C.A. Tiplady, L.H.-A. Morris and W.R. Allen (Suffolk, UK) 225
Calcium, magnesium, copper, and zinc in seminal plasma of fertile stallions, and their relationship with semen freezability
I. Barrier-Battut (Nantes, France), H. Delajarraud, E. Legrand (Carentan, France), J.-F. Bruyas, F. Fiéni, D. Tainturier, C. Thorin and H. Pouliquen (Nantes, France) 229

The effect of collection and cooling conditions on water transport characteristics of equine spermatozoa
R.V. Devireddy, D.J. Swanlund, A.S. Alghamdi, M.H.T. Troedsson, J.C. Bischof and K.P. Roberts (Minneapolis, MN, USA) 233
Cholesterol incorporation on equine sperm membrane: effects on post-thaw sperm parameters and fertility
F.S. Zahn, F.O. Papa and J.A. Dell'Aqua Jr. (Botucatu, Brazil). 237
Post-thaw motility and viability of fractionated and frozen stallion ejaculates
T. Katila, M. Andersson (Saarentaus, Finland), T. Reilas (Ypäjä, Finland) and E. Koskinen (Viikki, Finland) 241
Post-thaw spermatozoa plasma membrane integrity and motility of stallion semen frozen with different cryoprotectants
M. Henry, P.P.N. Snoeck and A.C.P. Cottorello (Belo Horizonte, Brazil). 245
Motility and fertility of stallion semen frozen with glycerol and/or dimethyl formamide
M. Vidament, C. Daire, J.M. Yvon (Nouzilly, France), P. Doligez (Le Pin, France), B. Bruneau, M. Magistrini (Nouzilly, France) and P. Ecot (Le Pin, France). 249
Effects of extenders and cryoprotectants on stallion sperm head morphometry
R.P. Arruda (Pirassununga, Brazil), B.A. Ball, C.G. Gravance (Davis, CA, USA), A.R. Garcia (Pirassununga, Brazil) and I.K.M. Liu (Davis, CA, USA) 253
Effects of ascorbic acid and pentoxifylline on equine cryopreserved semen submitted to in vitro incubation
A. Marques, R.P. Arruda, E.C.C. Celeghini, A.A.O. Gobesso (Pirassununga, Brazil) and J.R. Neves Neto (Botucatu, Brazil) 257
The importance of osmotic pressure for the quality of fresh, cooled, and cryopreserved equine spermatozoa
L. Duoos, M.H.T. Troedsson, A.S. Alghamdi, L. Miller (St. Paul, MN, USA) and K.P. Roberts (Minneapolis, MN, USA) 261
Effect of angiotensin II on the motility of fresh and frozen-thawed equine spermatozoa
M.T. Wessel, C.G. Gravance, K. Sabeur and B.A. Ball (Davis, CA, USA) 265
Assessment of seasonal influence on equine spermatogenic cells and Sertoli cells by testicular fine needle aspiration cytology
D.P. Leme, F.O. Papa and L.A. Trinca (Botucatu, Brazil). 269
Cryopreservation of stallion sperm using different amides
A.S.L. Medeiros, G.M. Gomes, M.T. Carmo, F.O. Papa and M.A. Alvarenga (Botucatu, Brazil) 273
Improvement of stallion spermatozoa preservation with alternative cryoprotectants for the Mangalarga Marchador breed
G.M. Gomes, J.C.F. Jacob (Rio de Janeiro, Brazil), A.S.L. Medeiros, F.O. Papa and M.A. Alvarenga (Botucatu, Brazil) 277
Horse genomics and reproduction
J.D. Murray (Davis, CA, USA). 281
Lipid peroxidation in stallion spermatozoa
D.M. Neild (Buenos Aires, Argentina), B.M. Gadella, B. Colenbrander (Utrecht, The Netherlands), A. Agüero and J.F.H.M. Brouwers (Buenos Aires, Argentina) 295
Role of reactive oxygen species on normal and abnormal function of equine spermatozoa
B.A. Ball, J. Baumber and K. Sabeur (Davis, CA, USA) 299
Reactive oxygen species and cryopreservation promote deoxyribonucleic acid (DNA) damage in equine sperm
J. Baumber, B.A. Ball, J.J. Linfor and S.A. Meyers (Davis, CA, USA). 301

Induction of the acrosome reaction in stallion spermatozoa: effects of incubation temperature, incubation time, and ionophore concentration
D.D. Varner, J.A. Thompson, T.L. Blanchard, R. Heck, C.C. Love, S.P. Brinsko and L. Johnson (College Station, TX, USA) 303
Progesterone induces the acrosome reaction in stallion spermatozoa via a protein tyrosine kinase-dependent pathway
R. Rathi, B. Colenbrander, T.A.E. Stout, M.M. Bevers and B.M. Gadella (Utrecht, The Netherlands) 307
Effect of frequency and interval of semen collection on seminal parameters and fertility of stallions
H. Sieme (Celle, Germany and Hanover, Germany), A. Echte and E. Klug (Hanover, Germany) 313
Use of a silane-coated silica particle solution to enhance the quality of ejaculated semen in stallions
M.L. Macpherson (Gainesville, FL, USA), T.L. Blanchard, C.C. Love, S.P. Brinsko and D.D. Varner (College Station, TX, USA) 317
Effect of extender pH on motility characteristics of cool-stored equine spermatozoa
K.M. Wendt, C.C. Love, S.P. Brinsko, J.A. Thompson, T.L. Blanchard and D.D. Varner (College Station, TX, USA) 321
Effect of storage temperature and extenders on "in vitro" activity of donkey spermatozoa
A.C.P. Cottorello, R.C. Amancio, M. Henry and I. Borges (Belo Horizonte, Brazil) ... 325
Effect of centrifugation and temperature on the motility and plasma membrane integrity of Zamorano-Leonés donkey semen
C. Serres, A. Rodriguez, A.L. Alvarez, I. Santiago, J. Gabriel, C. Gómez-Cuétara and E. Mateos (Madrid, Spain) 329
The effect of artificial vagina lubricants on stallion sperm motion measures and semen pH during cooled storage
L.E. Limone (Amherst, MA, USA), D.W. Shaughnessy (South Hamilton, MA, USA), S. Gómez-Ibáñez (Amherst, MA, USA), S.M. McDonnell (Pennsylvania, PA, USA) and S.J. Bedford (Amherst, MA, USA) 333
Catalase activity and total protein in fractionated stallion seminal plasma
E. Koskinen, M. Karlsson (Helsinki, Finland), T. Reilas (Ypäjä, Finland), S. Sankari, A.-L. Esala and T. Katila (Helsinki, Finland) 337
Capacitation dependent lipid rearrangements in the plasma membrane of equine sperm
B. Colenbrander, J.F.H.M. Brouwers (Utrecht, The Netherlands), D.M. Neild (Buenos Aires, Argentina), T.A.E. Stout, P. da Silva and B.M. Gadella (Utrecht, The Netherlands) 341
A comparative evaluation of thiobarbituric acid methods for determination of malondialdehyde in equine spermatozoa
G. Stradaioli (Udine, Italy) and M. Magistrini (Nouzilly, France) 347
Tyrosine phosphorylation is an indicator of capacitation status in fresh and cryopreserved stallion spermatozoa
A.C. Pommer and S.A. Meyers (Davis, CA, USA) 351
Osmotic stress induces tyrosine phosphorylation of equine sperm
J.J. Linfor, A.C. Pommer and S.A. Meyers (Davis, CA, USA) 355
Biochemical properties and localization of zonadhesin in equine spermatozoa
K.R. Breazeale, H.A. Brady, M. Bi, S. Uppuluri, L.D. Thompson (Lubbock, TX, USA), J.E. Bruemmer (Fort Collins, CO, USA) and D.M. Hardy (Lubbock, TX, USA) 359

The effects of uterine cell-spermatozoa co-culture on the interactions between de-novo secreted and synthesized uterine proteins and stallion spermatozoa
J.P. Kayser, P.J. Chenoweth, D.L. Davis, D.M. Grieger, J.C. Samper (Manhattan, KS, USA) and M.J. Arns (Tucson, AZ, USA) 363
Apoptosis during the initiation of equine spermatogenesis
C. Staub, N.L. Heninger, C.L. Donnelly, D.W. Forrest, T.L. Blanchard, C.C. Love, D.D. Varner and L. Johnson (College Station, TX, USA) 367
Apoptosis as a mechanism of germ cell loss in mature stallions
N. Heninger, C. Staub, T. Blanchard, D. Varner, C. Love, D. Forrest and L. Johnson (College Station, TX, USA) 373
Granulocyte-macrophage colony-stimulating factor reduces testicular germ cell apoptosis in vitro
C. Donnelly, C. Staub, D. Forrest, D. Varner, T. Blanchard, C. Love and L. Johnson (College Station, TX, USA) 377
The effects of an aromatase inhibitor (Letrozole) on hormone and sperm production in the stallion
T.A. Stein, B.A. Ball, A.J. Conley (Davis, CA, USA), A.S. Bhatnagar (Basil, Switzerland) and J.F. Roser (Davis, CA, USA) 381
Concentrations of testosterone and estradiol-17β in the epididymis of the stallion and immunolocalization of androgen and estrogen receptor
J.M. Parlevliet (Utrecht, The Netherlands), M.F. Hess, C.A. Pearl and J.F. Roser (Davis, CA, USA) 385
Characterization of sperm and androgen production by testes from control and ponazuril-treated stallions
T.H. Welsh Jr., T.M. Bryan, L. Johnson, S.P. Brinsko, S.L. Rigby, C.C. Love, D.D. Varner, N.H. Ing, D.W. Forrest and T.L. Blanchard (College Station, TX, USA) 389
Semen parameters and level of heterozygosity in Austrian draught horse stallions
J.E. Aurich, R. Achmann and C. Aurich (Vienna, Austria) 393
Stabilization of extragonadal sperm reserves in stallions: application for determination of daily sperm output
K. Stich, S. Brinsko, J. Thompson, C. Love, C. Miller, T. Blanchard and D. Varner (College Station, TX, USA) 397
Preservation of equine sperm stored in the epididymis at 4 °C for 24, 48, 72 and 96 hours
A.N. James, H. Green, S. Hoffman, A.M. Landry, D. Paccamonti and R.A. Godke (Baton Rouge, LA, USA) 401
Effect of storage at 5 °C on the motility and cryopreservation of stallion epididymal spermatozoa
J.E. Bruemmer, H. Reger, G. Zibinski and E.L. Squires (Fort Collins, CO, USA) 405
Utilization of immunocytochemical (ICC) and cell culture methods to localize cytochrome P450 aromatase in the testis of prepubertal, pubertal and postpubertal horses
M.F. Hess, A.C. Pommer, K.J. Dean and J.F. Roser (Davis, CA, USA) 409
DNA microarray analysis of gene expression in testicular tissue of stallions
A.M. Laughlin, D.W. Forrest, D.D. Varner, T.L. Blanchard, C.C. Love, T.H. Welsh Jr., L. Johnson and N.H. Ing (College Station, TX, USA) 413
Molecular characterization of the *CRISP1* gene—a candidate gene for stallion fertility
R. Jude, A. Giese (Hannover, Germany), F. Piumi, G. Guérin (Jouy-en-Josas, France), H. Sieme (Celle, Germany), E. Töpfer-Petersen (Hannover, Germany), O. Distl and T. Leeb (Hannover, Germany) 417

Differential gene expression in stallions with idiopathic testicular degeneration
R.M. Turner and R. Casas-Dolz (Kennett Square, PA, USA) 421
The effect of GnRH antagonist on testosterone secretion, spermatogenesis and viral excretion in EVA-virus excreting stallions
G. Fortier (Caen, France), M. Vidament (Nouzilly, France), F. DeCraene (Vivonne, France), B. Ferry (Le Pin, France) and P.F. Daels (Nouzilly, France)..... 425
Involvement of growth hormone in the regulation of testicular function in the pony stallion
C. Aurich, S. Kranski, J. Aurich (Vienna, Austria) and N. Parvizi (Neustadt-Mariensee, Germany) 429
Does growth hormone treatment of stallions during the non-breeding season increase testis sensitivity to luteinizing hormone or pituitary sensitivity to GnRH?
W.A. Storer, D.L. Thompson Jr. and J.A. Cartmill (Baton Rouge, LA, USA) 433
Doppler ultrasound measures of testicular blood flow in stallions
M.A. Pozor (Krakow, Poland) and S.M. McDonnell (Kennett Square, PA, USA)..... 437

The Non-pregnant Mare
The role of estrogen and progesterone in the induction and dissipation of uterine edema in mares
L.M. Pelehach, H.E. Greaves, M.B. Porter, A. Desvousges and D.C. Sharp (Gainesville, FL, USA) 441
Concentration of nitric oxide in uterine secretion from mares susceptible and resistant to chronic post-breeding endometritis
A.S. Alghamdi and M.H.T. Troedsson (St. Paul, MN, USA)..... 445
Uterine expression of fibrogenic cytokines in the mare
M.E. Cadario (Gainesville, FL, USA), L. Losinno (Rio Cuarto, Argentina), S. Giguere (Gainesville, FL, USA), J. Aguilar (Rio Cuarto, Argentina), T.J. Jack (Gainesville, FL, USA), M. Macpherson (Gainesville, FL, USA), C. Fitzpatrick and E.W. Uhl (Gainesville, FL, USA)..... 449
Equine seminal plasma protects the fertility of spermatozoa in an inflamed uterine environment
M.H.T. Troedsson, A.S. Alghamdi and J. Mattisen (St. Paul, MN, USA) 453
The effect of seminal plasma components on opsonisation and PMN-phagocytosis of equine spermatozoa
B.J. Dahms and M.H.T. Troedsson (St. Paul, MN, USA) 457
Effect of periovulatory ecbolics on luteal function and fertility
G.J. Nie, K.E. Johnson, J.G.W. Wenzel and T.D. Braden (Auburn, AL, USA)..... 461
Gonadotropic control of follicular growth in the mare
H.G. Pedersen, B. Berrocal, S.R.M. Thomson and E.D. Watson (Midlothian, UK) 465
Effects of multiple GnRH analogue (deslorelin acetate) implants on cyclic mares
C.A. Johnson, S.L. McMeen and D.L. Thompson Jr. (Baton Rouge, LA, USA)..... 469
A comparison of the ecbolic efficacy of intravenous and intrauterine oxytocin treatments
M.L.H. Campbell and G.C.W. England (Hatfield, UK) 473
Dose–response effect of intramuscular oxytocin treatment on myometrial contraction of reproductively normal mares during estrus
S. Madill, M.H.T. Troedsson (St. Paul, MN, USA), E.M. Santschi (Madison, WI, USA) and E.D. Malone (St. Paul, MN, USA) 479
Can uterine contractile activity be evaluated by transrectal ultrasonography?
E. Nikolakopoulos (Athens, Greece) and E.D. Watson (Midlothian, UK) 483

Immunoblotting of *Streptococcus zooepidemicus* antigens following intrauterine inoculation in mares
R. Causey, J. Weber, E. Emmans, P. Small, K. Knapp and D. Pelletier (Orono, ME, USA) 487
Effect of skim milk and seminal plasma uterine infusions in mares
S.M. Fiala (Porto Alegre, Brazil), C.A. Pimentel (Pelotas, Brazil), K. Steiger (Leipzig, Germany), A.L.G. Mattos (Ulbra, Brazil), R.M. Gregory and R.C. Mattos (Porto Alegre, Brazil) 491
Effect of intra-uterine fluid accumulation during and after foal-heat and of different management techniques on the postpartum fertility of thoroughbred mares
E. Malschitzky, A. Schilela (Porto Alegre, Brazil), A.L.G. Mattos (Canoas, Brazil), P. Garbade, R.M. Gregory and R.C. Mattos (Porto Alegre, Brazil) 495
Endometrial maldifferentiation caused by ovarian disorders in the mare—morphological and immunohistochemical studies
C. Ellenberger, H. Aupperle (Leipzig, Germany), C.-P. Bartmann, H.-O. Hoppen (Hannover, Germany), D. Schoon and H.-A. Schoon (Leipzig, Germany) 499
Rheological characterisation of estrous uterine fluid in the mare
W.R. Allen, C.A. Tiplady (Newmarket, UK), S. Butler and M.R. Mackley (Cambridge, UK) 503
Assessment of endometrial edema and echotexture in natural and hormonally manipulated estrus in mares
N.D. Bragg Wever (Edmonton, Canada), R.A. Pierson and C.E. Card (Saskatoon, Canada) 507
Functional pathology of the uterine blood flow in the mare—pathohistologic and Doppler sonographic investigations
S. Ludwig (Leipzig, Germany), U. Blaich (Hannover, Germany), D. Schoon, H. Aupperle, H.-A. Schoon (Leipzig, Germany), C.-P. Bartmann and E. Klug (Hannover, Germany) . 511
Tetracosactid (ACTH) treatment of mares in estrus—effect on estrous signs, ovulation and hormone levels
A.-M. Dalin, Y. Hedberg, K. Alexanderson and H. Kindahl (Uppsala, Sweden) 515
Effects of a GnRH antagonist inhibition of luteinizing hormone during the preovulatory period in the mare
C. Briant, M. Morel, M. Ottogalli and D. Guillaume (Nouzilly, France) 519
Gonadotropin-releasing hormone receptor trafficking may explain the relative resistance to pituitary desensitization in mares
M.B. Porter and D.C. Sharp (Gainesville, FL, USA) 523
Administration of the GnRH antagonist cetrorelix during the luteal phase of the mare
M.J. Evans, S.L. Alexander (Christchurch, New Zealand), C.H.G. Irvine (Lincoln, New Zealand), T.B. Taylor (Rangiora, New Zealand), N.E. Kitson and J.H. Livesey (Christchurch, New Zealand) 527
Early luteogenesis: computer-assisted image analysis of the corpus luteum in the first 24 h postovulation
C.M. Checura, E.M. Carnevale, M.A. Coutinho da Silva (Fort Collins, CO, USA), G.P. Adams and R.A. Pierson (Saskatoon, Canada) 533
Luteal function and estrous cycle characteristics in mares treated with subtherapeutic doses of prostaglandin F2α
A. Wüstenhagen, J. Handler (Vienna, Austria), H. Kindahl (Uppsala, Sweden) and C. Aurich (Vienna, Austria) 537
Persistent anovulatory follicles in the mare
P.M. McCue and E.L. Squires (Fort Collins, CO, USA) 541

The release of follicular fluid into the peritoneal cavity during ovulation in mares
Y. Nambo, T. Hasegawa, F. Sato, H. Oki, R. Kusunose (Tochigi, Japan), R. Nakai (Tokyo, Japan and Gifu, Japan), S. Nagata (Tochigi, Japan), G. Watanabe and K. Taya (Tokyo, Japan) 545
The relationship between steroidogenesis and tissue remodeling enzymes in ovulation in cycling pony mares
A.L. Desvousges, A. Eisele, M.B. Porter and D.C. Sharp (Gainesville, FL, USA) 549
A comparative study of follicular dynamics between lactating and non-lactating mares: effect of the body condition
D.B. Godoi, E.L. Gastal and M.O. Gastal (Viçosa, Brazil) 553
Metabolic profiles and plasma leptin concentrations in lactating and non-lactating mares
B. Heidler (Vienna, Austria), H. Sauerwein, U. Heintges (Bonn, Germany), J. Aurich (Vienna, Austria), W. Pohl (Piber, Austria) and C. Aurich (Vienna, Austria) 557
The relationship between body condition, leptin, and reproductive and hormonal characteristics of mares during the seasonal anovulatory period
L.R. Gentry and D.L. Thompson Jr. (Baton Rouge, LA, USA) 563
Mid-diestrous GnRH-analogue administration does not suppress the luteolytic mechanism in mares
T.A.E. Stout, J.L. Tremoleda (Utrecht, The Netherlands), J. Knaap (Lelystad, The Netherlands), P. Daels (Nouzilly, France), H. Kindahl (Uppsala, Sweden) and B. Colenbrander (Utrecht, The Netherlands) 567
Influence of PG administration and follicle status on the number of conceptuses
H. Lindeberg (Kuopio, Finland), E. Koskinen (Helsinki, Finland), M. Huhtinen, T. Reilas (Ypäjä, Finland), H. Perttula (Helsinki, Finland) and T. Katila (Saari, Finland) 571
Relationships between uterine blood flow, estrogens and nitric oxide in cycling mares
H. Bollwein, R. Stolla, S. Rohr, H. Welter, F. Weber and R. Einspanier (Munich, Germany) 575
Evidence for a nitric oxide-mediated modulation of equine granulosa cell steroidogenesis
C.R.F. Pinto, D.L. Paccamonti, B.E. Eilts, C.R. Short, L. Gentry, D.L. Thompson Jr. and R.A. Godke (Baton Rouge, LA, USA) 579
A new intra-vaginal progesterone-releasing device (Cue-Mare™) for controlling the estrous cycle in mares
J.B. Grimmett, D.W. Hanlon (Matamata, New Zealand), G.F. Duirs (Hamilton, New Zealand) and W. Jochle (Denville, NJ, USA) 585
Induction of lactation in mares with a dopamine antagonist needs ovarian hormones
P. Nagy, G. Duchamp (Nouzilly, France), P. Chavatte-Palmer (Paris, France), P.F. Daels and D. Guillaume (Nouzilly, France) 589
Nutrition influences the winter ovarian inactivity in mares
D. Guillaume, G. Duchamp, J. Salazar-Ortiz and P. Nagy (Nouzilly, France) 593
Combined effect of sulpiride and light treatment on the onset of cyclicity in anestrous mares
G. Duchamp and P.F. Daels (Nouzilly, France) 599
Influence of the autumn transitional phase on follicular development in mares
M.M. Nunes, E.L. Gastal, M.O. Gastal and A.N. Rocha (Viçosa, Brazil) 603
Angiogenesis in follicles of mares during spring transition and the breeding season
E.D. Watson and M.O. Al-zi'abi (Midlothian, UK) 607
Insulin-like growth factor binding protein-2 (IGFBP-2) mRNA in equine follicles during vernal transition and the breeding season
S.-E. Bae, M. Steele, R. Thomassen, C.O. Hogg, D.G. Armstrong and E.D. Watson (Midlothian, UK) 609

Follicular activity in fillies during the prepubertal phase: effects of season, body condition and hair coat
L.G. Gomes, M.O. Gastal and E.L. Gastal (Viçosa, Brazil) 615

Conception and Early Development

Evidence for a local dopamine-driven ovarian regulatory system in the mare
S.S. King, K.L. Jones (Carbondale, IL, USA), J.F. Roser (Davis, CA, USA), L.G. Nequin, L.L. Murphy (Carbondale, IL, USA) and A.G. Campbell (Carbondale, IL, USA) 619

Effect of oxytocin and cloprostenol on luteal formation, function and pregnancy rates in mares
J.P. Brendemuehl (Clements, CA, USA) 623

Age at puberty, cyclicity, clinical response to PGF2α, hCG and GnRH and embryo recovery rate in yearling mares
F. Camillo, I. Vannozzi, A. Rota, D. Panzani, A. Illuzzi (Pisa, Italy) and D. Guillaume (Nouzilly, France) 627

Transvaginal intrafollicular sperm cell injection with concomitant artificial insemination in the cyclic mare
B.E. Eilts, C.R.F. Pinto, D.L. Paccamonti, A.S. Niemanstverdreit (Baton Rouge, LA, USA), E. Garcia (Baton Rouge, LA, USA and Columbia, MO, USA) and R.A. Godke (Baton Rouge, LA, USA) 631

Pregnancy rates in mares after application of gonadotropin releasing hormone analogue, Buserelin, in warmblood mares
C. Unger (Neustadt-Glewe, Germany), F. Schneider (Dummerstorf, Germany), H.-O. Hoppen (Hannover, Germany), F. Becker, G. Nürnberg and W. Kanitz (Dummerstorf, Germany) 635

Presumptive evidence of a preovulatory sperm reservoir in the mare: morphological investigations using scanning electron microscopy
M.A. Scott (Davis, CA, USA), D.D. Varner (College Station, TX, USA), I.K.M. Liu and A.C. Enders (Davis, CA, USA) 639

The in vivo fertility of cauda epididymal spermatozoa in the horse
L. Morris, C. Tiplady and W.R. Allen (Suffolk, UK) 643

Analysis of some factors associated with pregnancy rates of frozen semen: a multi-center study
J.C. Samper (Manhattan, KS, USA), M. Vidament (Nouzilly, France), T. Katila (Saari, Finland), J. Newcombe (West Midlands, UK), A. Estrada and J. Sargeant (Manhattan, KS, USA) 647

Hysteroscopic insemination of mares with low number of frozen thawed spermatozoa selected by percoll gradient
M.A. Alvarenga and K.M. Leão (Botucatu, Brazil) 651

Effect of time of insemination and site of insemination on pregnancy rates with frozen semen
E.L. Squires, H.P. Reger, L.J. Maclellan and J.E. Bruemmer (Fort Collins, CO, USA). . 655

Hysteroscopic or rectally guided, deep-uterine insemination of mares with spermatozoa stored 18 h at either 5 or 15 °C prior to flow-cytometric sorting
A.C. Lindsey (Fort Collins, CO, USA), D.D. Varner (College Station, TX, USA), G.E. Seidel Jr., J.E. Bruemmer and E.L. Squires (Fort Collins, CO, USA) 659

Embryo recovery rates in mares after deep intrauterine insemination with low numbers of cryopreserved equine spermatozoa
M.M. Petersen, M.T. Wessel, M.A. Scott, I.K.M. Liu and B.A. Ball (Davis, CA, USA). 663

Antimicrobial agents in extender and their effect on semen preservation and pregnancy rate of inseminated mares
M.J. Vieira, A.K. Hött, E. Malschitzky, A. Keller, V.B. Wald, A.L.G. Mattos, R.M. Gregory and R.C. Mattos (Porto Alegre, Brazil) 667
Influence of cervical dilatation on pregnancy rates and embryonic development in inseminated mares
J. Handler (Vienna, Austria and Guelph, Canada), T. Gomes, R.O. Waelchli, K.J. Betteridge and J.I. Raeside (Guelph, Canada) 671
Effects of holding time and media on meiotic and developmental competence of horse oocytes
K. Hinrichs, Y.H. Choi, L.B. Love, C.C. Love, D.D. Varner and L.A. Ingram (College Station, TX, USA) 675
Effects of Roscovitine in maintaining meiotic arrest in equine oocytes and subsequent maturation rates after inhibition
L.C. Franz, E.L. Squires (Fort Collins, CO, USA), R. Rumpf, M.A.N. Dode (Brasilia, Brazil) and G.E. Seidel Jr. (Fort Collins, CO, USA) 679
Potential relevance of insulin-like growth factor-I (IGF-I) and insulin-like growth factor binding protein-3 (IGFBP-3) on in vivo maturation of equine oocytes during follicular growth
G.F. Carneiro, C.J. Munro, C.M. Leutenegger (Davis, CA, USA), P.L. Lorenzo (Madrid, Spain), B.A. Ball and I.K.M. Liu (Davis, CA, USA) 685
Nuclear, cytoplasmic and mitochondrial patterns of ovulated oocytes in young and aged mares
J.J. Aguilar, L. Losinno, M. Koncurat (Rio Cuarto, Argentina) and M.H. Miragaya (Buenos Aires, Argentina) 689
Determination of development in horse zygotes and spermatozoa during fertilization in vitro
H. Torner, H. Alm (Dummerstorf, Germany), W. Mlodawska (Krakow, Poland), C. Warnke, K. Göllnitz (Dummerstorf, Germany), S. Blottner (Berlin, Germany) and A. Okolski (Krakow, Poland) 693
Reorganisation of the cytoskeleton and chromatin in horse oocytes following intracytoplasmic sperm injection
J.L. Tremoleda, B. Colenbrander, T.A.E. Stout and M.M. Bevers (Utrecht, The Netherlands) 697
Patterns of $[Ca^{2+}]_i$ oscillations after intracytoplasmic sperm injection of in vitro and in vivo matured horse oocytes
S.J. Bedford, M. Kurokawa (Amherst, MA, USA), K. Hinrichs (College Station, TX, USA) and R.A. Fissore (Amherst, MA, USA) 701
Frozen–thawed embryos produced by Ovum Pick Up of immature oocytes and ICSI are capable to establish pregnancies in the horse
C. Galli, G. Crotti, P. Turini, R. Duchi (Cremona, Italy), G. Mari (Bologna, Italy), G. Zavaglia (S. Daniele Po, Italy), G. Duchamp, P. Daels (Nouzilly, France) and G. Lazzari (Cremona, Italy) 705
Equine embryos at the compacted morula and blastocyst stage can be obtained by intracytoplasmic sperm injection (ICSI) of in vitro matured oocytes with frozen–thawed spermatozoa from semen of different fertilities
G. Lazzari, G. Crotti, P. Turini, R. Duchi (Cremona, Italy), G. Mari (Bologna, Italy), G. Zavaglia, S. Barbacini (S. Daniele Po, Italy) and C. Galli (Cremona, Italy) 709

Comparison of pregnancy rates following nonsurgical transfer of day 8 equine embryos using various transfer devices
D.J. Jasko (Bellvue, CO, USA) 713
Cryopreservation of small and large equine embryos pre-treated with cytochalasin-B and/or trypsin
L.J. Maclellan, E.M. Carnevale, M.A. Coutinho da Silva, P.M. McCue, G.E. Seidel Jr. and E.L. Squires (Fort Collins, CO, USA) 717
Comparison of pregnancy rates for days 7–8 equine embryos frozen in glycerol with or without previous enzymatic treatment of their capsule
E. Legrand (Carentan, France), D. Bencharif, I. Barrier-Battut (Nantes, France), H. Delajarraud, P. Cornière (Carentan, France), F. Fiéni, D. Tainturier and J.-F. Bruyas (Nantes, France) 721
Evaluation of the transvaginal ultrasound-guided intrauterine injection technique for embryo transfer in mares
M.O. Gastal, E.L. Gastal, A.P. Rivera and L.A. Silva (Viçosa, Brazil) 725
Ultrastructural analysis of in vitro matured equine oocytes cultured in different systems
F.C. Landim-Alvarenga (Botucatu, Brazil), M.I.B. Rubin (Santa Maria, Brazil), L.J. Maclellan and E.L. Squires (Fort Collins, CO, USA) 729
Influence of two different sera on dynamics of meiosis and extrusion of polar body during in vitro maturation of horse oocytes
H. Alm (Rostock, Germany), W. Mlodawska (Krakow, Poland), H. Torner (Rostock, Germany), S. Blottner (Berlin, Germany), T. Greising, F. Becker (Rostock, Germany) and A. Okolski (Krakow, Poland) 735
Oocyte production from naive- and chronically-aspirated mares
D. Hylan, A.M. Klumpp, M. Sansinena, R.J. LaCaze, D. Paccamonti, R.S. Denniston and R.A. Godke (Baton Rouge, LA, USA) 739
The effect of intrafollicular injection of epidermal growth factor on meiosis resumption and cumulus expansion of oocytes
A. Martoriati, L. Debray, G. Duchamp and N. Gérard (Nouzilly, France) 743
Developmental changes in the distribution of electrolytes within the horse conceptus during the second week of pregnancy
L.J. Crews, R.O. Waelchli and K.J. Betteridge (Guelph, Canada) 745
Effect of embryo diameter and storage period on pregnancy rates obtained with equine embryos stored in Ham's F-10 with Hepes Buffer at a temperature of 15–18 °C—preliminary results
J.J. Fleury (Sao Joao da Boa Vista, Brazil), P.D.C. Fleury (Pirassununga, Brazil) and F.C. Landin-Alvarenga (Botucatu, Brazil) 749
Effects of a progesterone-induced protein with a molecular weight of 20 kDa (PIP-20) on carbohydrate metabolism and growth of Day 8 equine embryos in culture
I.B. Bøgh (Frederiksberg C, Denmark), T. Steeves (Clayton, Australia), G. Cartwright, V. Gurevich (Parkville, Australia), T. Greve (Frederiksberg C, Denmark) and J. Hyland (Werribee, Australia) 751
Comparison of pregnancy rates for equine embryos cooled for 24 h in Ham's F-10 and emcare holding solutions
M. Moussa (Nantes, France), G. Duchamp (Nouzilly, France), R. Mahla (Jouy-en-Josas, France), J.-F. Bruyas (Nantes, France) and P.F. Daels (Nouzilly, France) 755
Effects of culture media and time of insemination on oocyte transfer
E.M. Carnevale, M.A. Coutinho da Silva, L.J. Maclellan, J.R. Neves Neto and E.L. Squires (Fort Collins, CO, USA) 759

Use of fresh, cooled and frozen semen during gamete intrafallopian transfer in mares
M.A. Coutinho da Silva, E.M. Carnevale, L.J. Maclellan, K.A. Preis, K.M. Leao and E.L. Squires (Fort Collins, CO, USA) 763
Influence of donor cell age on nuclear reprogramming and first embryonic division in horse oocytes reconstructed with the nuclei of foetal and adult cells
X. Li and W.R. Allen (Suffolk, UK) 767
Use of Piezo-driven direct nuclear injection and activation with stallion sperm extract to produce horse nuclear transfer embryos
Y.H. Choi, C.C. Love (College Station, TX, USA), Y.G. Chung (Philadelphia, PA, USA), D.D. Varner, M.E. Westhusin, R.C. Burghardt and K. Hinrichs (College Station, TX, USA) 771
Nuclear transfer embryos from different equine cell lines as donor karyoplasts using the bovine oocyte as recipient cytoplast
M.J. Sansinena, B.C. Reggio, R.S. Denniston and R.A. Godke (Baton Rouge, LA, USA) 775
Cloned mule pregnancies produced using nuclear transfer
G.L. Woods (Moscow, ID, USA), K.L. White (Logan, UT, USA), D.K. Vanderwall (Moscow, ID, USA), K.I. Aston, T.D. Bunch, K.D. Campbell and L.N. Meerdo (Logan, UT, USA) 779

The Pregnant Mare and Perinatology

Puerperal involution in the mare—morphological studies in correlation with the course of birth
K. Steiger, F. Kersten, H. Aupperle, D. Schoon and H.-A. Schoon (Leipzig, Germany) . 783
Leukocytes trapped in the fetal membranes of newborn foals
D.H. Volkmann, R.O. Gilbert (Ithaca, NY, USA), C. Gradil (North Grafton, MA, USA) and R. Linke (Ithaca, NY, USA) 787
Route of fetal infection in a model of ascending placentitis
M.B. Calderwood Mays, M.M. LeBlanc (Gainesville, FL, USA) and D. Paccamonti (Baton Rouge, LA, USA) 791
Effects of progesterone administration to mares during late gestation
J.C. Ousey (Cambridge, UK and Newmarket, UK), P.D. Rossdale, L. Palmer (Newmarket, UK), E. Houghton, L. Grainger (Fordham, UK) and A.L. Fowden (Cambridge, UK). . . 793
Lack of effect of clenbuterol for delaying parturition in late pregnant mares
E. Palmer (Sonchamp, France), P. Chavatte-Palmer (Jouy en Josas, France), G. Duchamp (Nouzilly, France) and I. Lévy (Sonzay, France) 797
The equine fetal gonads as a potential source of inhibins during pregnancy
K. Taya, Y. Tanaka, R. Nakai (Tokyo, Japan), N. Tsunoda, H. Taniyama (Hokkaido, Japan), N. Nagamine, Y. Nambo, S.-i. Nagata (Tochigi, Japan) and G. Watanabe (Tokyo, Japan) 801
Efficiency of IgG absorption in the foal
F. Clément (Chamberet, France), C. Duvaux-Ponter (Paris, France), G. Arnaud (Chamberet, France), M. Piot, J.L. Maubois, J.F. Grongnet (Rennes, France), L. Brugère, M. Tournié (Chamberet, France), L. Detrimont (Paris, France) and P. Chavatte-Palmer (Jouy en Josas, France) 805
Evaluation of equine endometrial prostaglandin synthesis inhibitor (EPSI) activity with a commercially-available COX-2 inhibitor screening assay
A. Eisele, A.L. Desvousges and D.C. Sharp (Gainesville, FL, USA). 809
The role of allantoic mesenchyme in the formation of the equine chorionic girdle
S.S. Stout (Suffolk, UK), F. Stewart (Suffolk, UK and Newmarket, UK) and W.R. Allen (Newmarket, UK). 813

Estrogen metabolism in the equine conceptus and endometrium in early pregnancy
J.I. Raeside, H.L. Christie, R.L. Renaud, R.O. Waelchli and K.J. Betteridge
(Guelph, Canada) 817
Uteroplacental production of 5α-pregnane-3,20-dione (5αDHP) in pregnant mares
A.L. Fowden (Cambridge, UK), J.C. Ousey (Cambridge, UK and Newmarket, UK),
A.J. Forhead (Cambridge, UK), P.D. Rossdale (Newmarket, UK), L. Grainger and
E. Houghton (Fordham, UK) 821
Differential postnatal development of autonomic control of the cardiac baroreflex in the foal
S.J. O'Connor, D.S. Gardner (Cambridge, UK), J.C. Ousey (Cambridge, UK and Suffolk,
UK), N. Holdstock (Cambridge, UK), P. Rossdale (Suffolk, UK), A.L. Fowden and
D.A. Giussani (Cambridge, UK)
Analysis of MUC-1 and integrin subunit expression in equine uterine epithelium and
trophectoderm
S.Y. Al-Ramadan, S.P. Brinsko, S.L. Rigby, L.A. Jaeger and R.C. Burghardt
(College Station, TX, USA) 829
The influences of maternal size, age and parity on placental and fetal development in
the horse
S. Wilsher and W.R. Allen (Suffolk, UK) 833
The use of microdoses of oxytocin in mares to induce parturition
P. Chavatte-Palmer (Jouy en Josas, France), G. Arnaud (Chamberet, France),
C. Duvaux-Ponter (Paris, France), C. Zanazi, M. Gérard (Chamberet, France),
A. Ponter (Jouy en Josas, France), H. Kindahl (Uppsala, Sweden) and
F. Clément (Chamberet, France) 837
Premature delivery in ascending placentitis is associated with increased expression of
placental cytokines and allantoic fluid prostaglandins E_2 and $F_{2\alpha}$
M.M. LeBlanc, S. Giguere, K. Brauer (Gainesville, FL, USA), D.L. Paccamonti,
D.W. Horohov (Baton Rouge, LA, USA), G.D. Lester, L.J. O' Donnell, B.R. Sheerin,
L. Pablo and D.H. Rodgerson (Gainesville, FL, USA) 841
Evaluation of transrectal ultrasonographic combined thickness of the uterus and
placenta (CTUP) in a model of induced ascending placentitis in late gestation in
the pony mare
A.A. Kelleman (Etna, NH, USA), S.L. Luznar, G.D. Lester (Gainesville, FL, USA),
D.L. Paccamonti (Baton Rouge, LA, USA) and M.M. LeBlanc (Gainesville, FL, USA) 845
Endocrinological findings in an experimental model of ascending placentitis in the mare
R.J. Stawicki, H. Ruebel, P.J. Hansen, B.R. Sheerin,
L.J. O'Donnell, G.D. Lester (Gainesville, FL, USA), D.L. Paccamonti
(Baton Rauge, LA, USA) and M.M. LeBlanc (Gainesville, FL, USA) 849
Patterns of uterine myoelectrical activity in reproductively normal mares in late
gestation and in mares with experimentally induced ascending placentitis
J.M. Hendry, G.D. Lester, P.J. Hansen, L.J. O'Donnell, B.R. Sheerin, L. Pablo,
D. Hawkins, D. Murphy and M.M. LeBlanc (Gainesville, FL, USA) 853
The induction of maternal behavior in non-parturient adoptive mares
R.H. Porter, G. Duchamp, R. Nowak and P.F. Daels (Nouzilly, France). 857
Induction of lactation in non-foaling mares and growth of foals raised by mares with
induced lactation
P.F. Daels, G. Duchamp (Nouzilly, France), S. Massoni (Toulouse, France) and
P. Chavatte (Jouy-en-Josas, France). 859

Announcements. 863

VOLUME 58 ISSUE 5 **1 SEPTEMBER 2002**

Removal of deslorelin (Ovuplant™) implant 48 h after administration results in normal interovulatory intervals in mares
P.M. McCue, V.J. Farquhar, E.M. Carnevale and E.L. Squires (Ft. Collins, CO, USA). . 865
Relationship between antral follicle size, oocyte diameters and nuclear maturation of immature oocytes in pigs
X. Lucas, E.A. Martínez, J. Roca, J.M. Vázquez, M.A. Gil, L.M. Pastor (Murcia, Spain) and J.L. Alabart (Zaragoza, Spain) 871
Aberrations in uterine contractile patterns in mares with delayed uterine clearance after administration of detomidine and oxytocin
M. von Reitzenstein, M.A. Callahan, P.J. Hansen and M.M. LeBlanc (Gainesville, FL, USA) 887
The effect of an acute energy deficit on the hormone profile of dominant follicles in dairy cows
A. Comin, D. Gerin (Udine, Italy), A. Cappa (Vicenza, Italy), V. Marchi (Cremona, Italy), R. Renaville (Gembloux, Belgium), M. Motta (Bologna, Italy), U. Fazzini and A. Prandi (Udine, Italy) 899
Pregnancies from vitrified equine oocytes collected from super-stimulated and non-stimulated mares
L.J. Maclellan, E.M. Carnevale, M.A. Coutinho da Silva, C.F. Scoggin, J.E. Bruemmer and E.L. Squires (Fort Collins, CO, USA) 911
Sexual development of dairy bulls in the Mexican tropics
H. Jiménez-Severiano (Querétaro, Mexico) 921
Fetal infection with *Neospora caninum* in dairy and beef cattle in Belgium
F. De Meerschman (Liège, Belgium), N. Speybroeck, D. Berkvens (Antwerp, Belgium), C. Rettigner, C. Focant, T. Leclipteux, D. Cassart and B. Losson (Liège, Belgium). . . . 933
Breeding soundness evaluations of 3648 yearling beef bulls using the 1993 Society for Theriogenology guidelines
S.P. Kennedy, J.C. Spitzer (Clemson, SC, USA), F.M. Hopkins (Knoxville, TN, USA), H.L. Higdon III and W.C. Bridges Jr. (Clemson, SC, USA) 947
Pregnancy rates after transfer of frozen bovine embryos: a field trial
A.G. Martínez, G.M. Brogliatti, A. Valcarcel and M.A. de las Heras (Buenos Aires, Argentina) 963
Morphology and morphometry of in vivo- and in vitro-produced bovine concepti from early pregnancy to term and association with high birth weights
M. Bertolini, J.B. Mason, S.W. Beam, G.F. Carneiro, M.L. Sween, D.J. Kominek, A.L. Moyer, T.R. Famula, R.D. Sainz and G.B. Anderson (Davis, CA, USA) 973
Penetration in vitro of zona-free pig oocytes by homologous and heterologous spermatozoa
X.-M. Zhao, X.-X. Song, Y. Kawai and K. Niwa (Okayama, Japan) 995
Protamine P1 sequences in equids: comparison with even-toed animals
A. Pirhonen, A. Linnala-Kankkunen (Kuopio, Finland), R.M. Kenney (Kennett Square, USA) and P.H. Mäenpää (Kuopio, Finland) 1007
Effect of nitric oxide synthase inhabitors on ovulation in hCG-stimulated mares
C.R.F. Pinto, D.L. Paccamonti, B.E. Eilts, C.R. Short and R.A. Godke (Baton Rouge, LA, USA) 1017
Migration of bovine spermatozoa in a synthetic medium and its relation to in vivo bull fertility
S. Verberckmoes, A. Van Soom, I. De Pauw, J. Dewulf and A. de Kruif (Merelbeke, Belgium) 1027

The effect of lutalyse on the training of sexually inexperienced boars for semen collection
D.M. Kozink, M.J. Estienne, A.F. Harper and J.W. Knight (Blacksburg, VA, USA) 1039
Ultrasonic measurements of second and third trimester fetuses to predict gestational age and date of parturition in captive and wild spotted hyenas *Crocuta crocuta*
N.J. Place, M.L. Weldele (Berkeley, CA, USA) and S.A. Wahaj (East Lansing, MI, USA) 1047

Announcements 1057

VOLUME 58 ISSUE 6 **1 OCTOBER 2002**

Field fertility with exported boar semen frozen in the new FlatPack container
B.M. Eriksson (Uppsala, Sweden), H. Petersson (Väckelsång, Sweden) and
H. Rodriguez-Martinez (Uppsala, Sweden) 1065
The suppression of fragmentation by stabilization of actin filament in porcine enucleated oocytes
M. Kawahara, T. Mori, H. Tanaka and H. Shimizu (Sapporo-shi, Japan) 1081
Suppressor cell activity of ovine caruncular and intercaruncular tissues during the placentation period
J.R. Miles (Raleigh, NC, USA), P.K. Beetham (Bethesda, MD, USA) and
E.C. Segerson (Greensboro, NC, USA) 1097
Postovulatory effect of repeated administration of prostaglandin $F_{2\alpha}$ on the endocrine status, ova transport, binding of accessory spermatozoa to the zona pellucida and embryo development of recently ovulated sows
A.M. Mwanza, S. Einarsson, A. Madej, N. Lundeheim, H. Rodriguez-Martinez and
H. Kindahl (Uppsala, Sweden) 1111
Evaluation of the safety and efficacy of testicular biopsies in llamas
A.M. Heath, D.G. Pugh, E.A. Sartin, B. Navarre and R.C. Purohit (Auburn, AL, USA). 1125
Exposure to androgens during in vitro maturation does not affect the developmental potential of porcine oocytes
J.R. Herrick and W.F. Pope (Columbus, OH, USA) 1131
Influence of CIDR treatment during superovulation on embryo production and hormonal patterns in cattle
M. Lafri, C. Ponsart, M. Nibart (Maisons-Alfort, France), M. Durand
(Chateauvillain, France), A. Morel, N. Jeanguyot, F. Badinand (Maisons-Alfort, France),
K. De Mari (Carros, France) and P. Humblot (Maisons-Alfort, France) 1141
Early embryonic cells from in vivo-produced goat embryos transmit the caprine arthritis–encephalitis virus (CAEV)
A. Lamara, F. Fieni (Nantes, France), L. Mselli-Lakhal (Marcy l'Etoile, France),
G. Chatagnon, J.F. Bruyas, D. Tainturier, I. Battut (Nantes, France), C. Fornazero and
Y. Chebloune (Marcy l'Etoile, France) 1153
The use of plasma progesterone profiles to predict the reproductive status of anestrous gilts and sows
W.-B. Chung, W.-F. Cheng (Pingtung, Taiwan), L.-S. Wu (Taipei, Taiwan) and
P.-C. Yang (Miaoli, Taiwan) 1165
Effect of age and genetic group on characteristics of the scrotum, testes and testicular vascular cones, and on sperm production and semen quality in AI bulls in Brazil
L.F.C. Brito (Botucatu, Brazil), A.E.D.F. Silva (Brasilia, Brazil), L.H. Rodrigues
(Sertaozinho, Brazil), F.V. Vieira, L.A.G. Deragon (Uberaba, Brazil) and
J.P. Kastelic (Lethbridge, Canada) 1175

Optimization of culture medium for cloned bovine embryos and its influence on pregnancy and delivery outcome
Y.H. Choi, B.C. Lee (Seoul, South Korea), J.M. Lim (Suwon, South Korea), S.K. Kang and W.S. Hwang (Seoul, South Korea) 1187
Effect of polyvinyl alcohol (PVA) concentration during vitrification of in vitro matured bovine oocytes
M. Asada, S. Ishibashi, S. Ikumi and Y. Fukui (Obihiro, Japan) 1199
Changes in sex hormone receptors during administration of progesterone to prevent estrus in the bitch
H. De Bosschere, R. Ducatelle, M. Tshamala and M. Coryn (Merelbeke, Belgium) 1209
Fetal anasarca (hydrops foetalis) associated with lymphoid tissue agenesis possibly due to an autosomal recessive gene defect in sheep
L. Monteagudo, L. Luján, T. Tejedor, S. Climent, C. Acín (Zaragoza, Spain), A. Navarro (Soria, Spain) and M.V. Arruga (Zaragoza, Spain) 1219
Evaluation of steroid microspheres for control of estrus in cows and induction of puberty in heifers
C.S. Whisnant (Raleigh, NC, USA) and P.J. Burns (Lexington, KY, USA) 1229
Equine fetal sex determination using a single ultrasonic examination under farm conditions
G. Mari, C. Castagnetti and S. Belluzzi (Bologna, Italy) 1237

Announcement 1245

VOLUME 58 ISSUE 7 **15 OCTOBER 2002**

Vitrification of Yunnan Yellow Cattle oocytes: work in progress
X. Li, L. Su, Y. Li, W. Ji (Yunnan, PR China) and A. Dinnyés (Gödöllö, Hungary) 1253
Use of progestagen–gonadotrophin treatments in estrus synchronization of sheep
C.M. Boscos, F.C. Samartzi, S. Dellis (Thessaloniki, Greece), A. Rogge, A. Stefanakis and E. Krambovitis (Crete, Greece) 1261
Incidence of 1/29 translocation in Bolivian Creole and Brahman Yacumeño cattle
J.C. De Luca, L. Zufriategui, S.J. Picco, M.V. Ripoli, G. Giovambattista (La Plata, Argentina), F.V. Rojas (Santa Cruz, Bolivia) and F.N. Dulout (La Plata, Argentina) 1273
Preservation of rainbow trout (*Oncorhynchus mykiss*) eyed eggs using a perfluorochemical as an oxygen carrier
G.F. Richardson, Y.T. Gardiner and M.A. McNiven (Charlottetown, Canada) 1283
Short estrous cycles and estrous signs after premature ovulations induced with cloprostenol and gonadotropin-releasing hormone in cyclic dairy cows
J. Taponen (Saarentaus, Finland), M. Kulcsár (Budapest, Hungary), T. Katila (Saarentaus, Finland), L. Kátai, G. Huszenicza (Budapest, Hungary) and H. Rodríguez-Martínez (Uppsala, Sweden) 1291
The role of nutrition in the regulation of LH secretion during anestrus by the serotoninergic and dopaminergic systems in Mediterranean ewes treated with melatonin
F. Forcada, O. Zúñiga and J.A. Abecia (Zaragoza, Spain) 1303

Effects of active immunization against GnRH on serum LH, inhibin A, sexual development and growth rate in Chinese female pigs
X.Y. Zeng (Ya'an, PR China), J.A. Turkstra (Lelystad, The Netherlands), A. Tsigos (Oxford, UK), R.H. Meloen (Lelystad, The Netherlands), X.Y. Liu, F.Q. Chen (Ya'an, PR China), W.M.M. Schaaper, H.B. (Ria) Oonk (Lelystad, The Netherlands), D.Z. Guo (Ya'an, PR China) and D.F.M. van de Wiel (Lelystad, The Netherlands) 1315

The impact of *Leptospira* seropositivity on reproductive performance in sows in southern Viet Nam
S. Boqvist (Uppsala, Sweden), H.T.V. Thu (Can Tho, Viet Nam), I. Vågsholm and U. Magnusson (Uppsala, Sweden) 1327

Reproductive performance of dairy cows with ovarian cysts after different GnRH and cloprostenol treatments
F. López-Gatius (Lleida, Spain) and M. López-Béjar (Barcelona, Spain) 1337

Assessment of sperm viability, mitochondrial activity, capacitation and acrosome intactness in extended boar semen during long-term storage
L.-J. Huo, X.-H. Ma and Z.-M. Yang (Harbin, China) 1349

Development of a new transcervical artificial insemination method for sheep: effects of a new transcervical artificial insemination catheter and traversing the cervix on semen quality and fertility
M.C. Wulster-Radcliffe and G.S. Lewis (Dubois, ID, USA) 1361

The role of osmotic resistance on equine spermatozoal function
A.C. Pommer, J. Rutllant and S.A. Meyers (Davis, CA, USA) 1373

Intracytoplasmic injection of frozen-thawed epididymal spermatozoa in a nonhuman primate model, the cynomolgus monkey (*Macaca fascicularis*)
S.C. Ng, P. Martelli, S.L. Liow, S. Herbert and S.H. Oh (Singapore, Singapore) 1385

Diagnostic dilemma encountered when detecting bovine viral diarrhea virus in IVF embryo production
Daniel Givens M., K.P. Riddell, P.K. Galik, D.A. Stringfellow, K.V. Brock (Auburn, AL, USA) and N.M. Loskutoff (Omaha, NE, USA) 1399

Ultrasound and endocrine evaluation of the ovarian response to $PGF_{2\alpha}$ given at different stages of the luteal phase in ewes
D.M.W. Barrett, P.M. Bartlewski, S.J. Cook and N.C. Rawlings (Saskatoon, Canada) .. 1409

Ultrasonographic measurements of accessory sex glands, ampullae, and urethra of normal stallions of various size types
M.A. Pozor (Kennett Square, PA, USA) and S.M. McDonnell (Krakow, Poland) 1425

Announcement 1435

VOLUME 58 ISSUE 8 **NOVEMBER 2002**

Effect of timing of urea feeding on the yield and quality of embryos in lactating dairy cows
P.M. Dawuda, R.J. Scaramuzzi (London, UK), H.J. Leese, C.J. Hall (York, UK), A.R. Peters (Groton, CT, USA), S.B. Drew (Winchester, UK) and D.C. Wathes (London, UK) 1443

Nonelectrophoretic PCR-sexing of bovine embryos in a commercial environment
J.F. Hasler, E. Cardey, J.E. Stokes (Elizabethtown, PA, USA) and P. Bredbacka (Espoo, Finland) 1457

Effects of calcium salts of fatty acids and calcium salt of methionine hydroxy analogue on plasma prostaglandin $F_{2\alpha}$ metabolite and milk fatty acid profiles in late lactation Holstein–Friesian cows
J. Fahey (Cork, Ireland and Dublin, Ireland), J.F. Mee, J.J. Murphy (Cork, Ireland) and D. O'Callaghan (Dublin, Ireland) 1471
Factors affecting the uptake of DMSO by the eggs and embryos of medaka, *Oryzias latipes*
P. Routray, T. Suzuki, C.A. Strüssmann and R. Takai (Tokyo, Japan) 1483
Impaired semen quality of AI bulls fed with moldy hay: a case report
K. Alm, M. Dahlbom (Saarentaus, Finland), M. Säynäjärvi (Hollola, Finland), M.A. Andersson, M.S. Salkinoja-Salonen (Helsinki, Finland) and M.C. Andersson (Saarentaus, Finland) 1497
Reproductive endocrinology and postweaning performance in the multiparous sow. Part 1. Influence of metabolic status during lactation
F. Hultén (Uppsala, Sweden), A. Valros (Helsinki, Finland), M. Rundgren and S. Einarsson (Uppsala, Sweden) 1503
Reproductive endocrinology and postweaning performance in the multiparous sow. Part 2. Influence of nursing behavior
F. Hultén (Uppsala, Sweden), A. Valros (Helsinki, Finland), M. Rundgren and S. Einarsson (Uppsala, Sweden) 1519
Production of germline chimeras by transfer of chicken gonadal primordial germ cells maintained in vitro for an extended period
J.Y. Han (Suwon, South Korea), T.S. Park (Suwon, South Korea and Sungnam City, South Korea), Y.H. Hong (Uiwang City, South Korea), D.K. Jeong, J.N. Kim, K.D. Kim and J.M. Lim (Suwon, South Korea) 1531
Nonequilibrium cryopreservation of rabbit embryos using a modified (sealed) open pulled straw procedure
M. López-Béjar (Bellaterra, Spain) and F. López-Gatius (Lleida, Spain) 1541
Reproductive seasonality in female Iberian red deer (*Cervus elaphus hispanicus*)
A.J. García, T. Landete-Castillejos, J.J. Garde and L. Gallego (Albacete, Spain) 1553
Semen cryopreservation of small abalone (*Haliotis diversicolor supertexa*)
J.-C. Gwo, C.-W. Chen (Keelung, Taiwan) and H.-Y. Cheng (Taipei, Taiwan) 1563
Prediction of X and Y chromosome content in bovine sperm by using DNA pools through capillary electrophoresis
M.L. Checa, S. Dunner and J. Cañón (Madrid, Spain) 1579
Lipase activity in stallion seminal plasma and the effect of lipase on stallion spermatozoa during storage at 5 °C
D.A. Carver and B.A. Ball (Davis, CA, USA) 1587
Improvement of pregnancy rate in Japanese Black cows by administration of hCG to recipients of transferred frozen-thawed embryos
M. Nishigai (Tokyo, Japan and Tochigi, Japan), H. Kamomae, T. Tanaka and Y. Kaneda (Tokyo, Japan) 1597
Effect of follicular status on superovulatory response in ewes is influenced by presence of corpus luteum at first FSH dose
A. Gonzalez-Bulnes, R.M. Garcia-Garcia, J. Santiago-Moreno, A. Lopez-Sebastian and M.J. Cocero (Madrid, Spain) 1607
In vitro developmental competence of domestic cat embryos after somatic cloning: a preliminary report
M. Skrzyszowska, L. Kątska (Knoxville, TN, USA and Kraków, Poland), B. Ryńska,

G. Kania (Kraków, Poland), Z. Smorąg (Knoxville, TN, USA and Kraków, Poland) and M. Pieńkowski (Knoxville, TN, USA) 1615
Risk factors for postpartum ovarian cysts and their spontaneous recovery or persistence in lactating dairy cows
F. López-Gatius (Lleida, Spain), P. Santolaria, J. Yániz (Zaragoza, Spain), M. Fenech and M. López-Béjar (Barcelona, Spain) 1623

Announcement 1633

VOLUME 58 ISSUE 9 **DECEMBER 2002**

Control of ovulation with a GnRH agonist after superstimulation of follicular growth in buffalo: fertilization and embryo recovery
N.A.T. Carvalho, P.S. Baruselli (Sao Paulo, Brazil), L. Zicarelli (Naples, Italy), E.H. Madureira, J.A. Visintin (Sao Paulo, Brazil) and M.J. D'Occhio (Gatton, Australia) 1641
Differential requirement for pulsatile LH during the follicular phase and exposure to the preovulatory LH surge for oocyte fertilization and embryo development in cattle
B.R. Lindsey (Rockhampton, Australia and Lincoln, NE, USA), L.J. Maclellan, T.R. Whyte (Rockhampton, Australia), J.E. Kinder (Lincoln, NE, USA) and M.J. D'Occhio (Rockhampton, Australia and Gatton, Australia) 1651
Effect of 17β-estradiol on the in vitro maturation of bovine oocytes
A.R.C.L. Beker, B. Colenbrander and M.M. Bevers (Utrechte, The Netherlands) 1663
Fertility in postpartum dairy cows in winter or summer following estrus synchronization and fixed time AI after the induction of an LH surge with GnRH or hCG
F. De Rensis (Parma, Italy), P. Marconi, T. Capelli, F. Gatti, F. Facciolongo, S. Franzini (Bergamo, Italy) and R.J. Scaramuzzi (London, UK) 1675
In vitro maturation of bitch oocytes from advanced preantral follicles in synthetic oviduct fluid medium: serum is not essential
D. Bolamba, K.D. Russ, M.A. Olson (San Diego, CA, USA), J.L. Sandler (Yorktown Heights, NY, USA) and B.S. Durrant (San Diego, CA, USA) 1689
Uterine prolapse with an interesting vascular anomaly in a cheetah: a case report
J.O. Nöthling, O. Knesl, P. Irons and E. Lane (Onderstepoort, South Africa) 1705
Follicular recruitment and ovulatory response to FSH treatment initiated on Day 0 or Day 3 postovulation in goats
A. Menchaca, A. Pinczak and E. Rubianes (Montevideo, Uruguay) 1713
Effect of supranutritional level of dietary α-tocopheryl acetate and selenium on rabbit semen
C. Castellini, P. Lattaioli, A.D. Bosco (Perugia, Italy) and D. Beghelli (Matelica, Italy) 1723
Flow cytometric cell cycle analysis of somatic cells primary cultures established for bovine cloning
L. Kątska, M. Bochenek, G. Kania, B. Ryñska and Z. Smorąg (Balice/Kraków, Poland) 1733

Contents Index of Volue 58 1745
Author Index, Volume 58 1765
Subject Index, Volume 58 1787
Announcements 1805
Guide for Authors 1807